

We claim:

- 1 1. A network processing system for enforcing network policies on a
2 network, the network consisting of multiple data packets, the data packets forming a
3 plurality of flows, the network processing system comprising:
4 a network interface operable to receive data packets from the network and
5 further operable to send processed data packets back onto the network; and
6 a processing engine in communication with the network interface, the
7 processing engine operable to associate each data packet with an identifier, wherein
8 the identifier is associated with the flow of which the data packet is part, the
9 processing engine further operable to compare each flow to a database stored in the
10 processing engine, the database storing information on a set of programmable network
11 policies, the set of programmable network policies determining a treatment for each
12 flow, such that the processing engine is able to modify and direct the data packets
13 according to the treatment indicated.
- 1 2. The network processing system of Claim 1 further comprising a second
2 processing engine, wherein each processing engine is unidirectional in the opposite
3 direction thereby creating a bi-directional network processing system.
- 1 3. The network processing system of Claim 1 wherein the processing
2 engine maintains a state for one or more flows, the state associated with each flow
3 using the identifier.
- 1 4. The network processing system of Claim 3 wherein the state existing
2 for the particular flow at the time a new packet belonging to the particular flow is
3 examined is used in conjunction with the database to determine the treatment.
- 1 5. The network processing system of Claim 1 wherein the processing
2 engine is able to examine the entire contents of each packet.
- 1 6. The network processing system of Claim 1 wherein the programmable
2 network policies are programmed at a separate server and downloaded into the
3 network processing system in the form of an image file.

NR-8.

1 7. The network processing system of Claim 1 wherein the set of
2 programmable network policies are stored as signatures in a signature memory.

1 8. The network processing system of Claim 1 wherein the processing
2 engine includes a header preprocessor for examining header information in the packet,
3 a content processor for comparing the packet to the database and determining a
4 treatment, and a quality of service processor for modifying the packet and directing
5 the packet according to the treatment.

1 9. The network processing system of Claim 8 wherein each processing
2 engine further includes a microprocessor for supplemental operations.

1 10. A network processing system for enforcing network policies on a
2 network, the network consisting of a plurality of data packets, the plurality of data
3 packets forming a plurality of flows, the network processing system comprising:
4 at least one left line interface operable to receive data packets from the
5 network and to send processed data packets onto the network;
6 at least one right line interface operable to receive data packets from the
7 network and to send processed data packets onto the network;
8 a right processing engine receiving data packets from the left interface, and
9 sending processed data packets to the right line interface; and
10 a left processing engine receiving data packets from the right interface, and
11 sending processed data packets to the left line interface;
12 each of the right and left processing engines further comprising:
13 a traffic flow processor processing the data packets to associate each
14 data packet with a particular flow, to maintain state for a subset of flows, and
15 to compare each flow to a database of network policies, the data base of
16 network policies indicating a treatment for the data packets of each flow;
17 a quality of service processor communicating with the traffic flow
18 processor and receiving the treatment from the traffic flow processor
19 instructing the quality of service processor how to modify the contents of the
20 data packet and which quality of service to give the data packet.

1 11. The network processing system of Claim 10 further comprising a
2 management module connected with the left and the right processing engines through
3 a bus interface, the management module including a microprocessor able to
4 communicate with the left and the right processing engines.

1 12. The network processing system of Claim 10 wherein the left and the
2 right processing engines exchange information concerning flows.

1 13. The network processing system of Claim 10 wherein the traffic flow
2 processor is comprised of a header preprocessor and a content processor, the header
3 preprocessor operable to examine header information for each packet, and the content
4 processor operable to compare the packet with the database of network policies.

1 14. The network processing system of Claim 10 wherein the database of
2 network policies is a memory image of signatures, the signatures forming the network
3 policies.

1 15. The network processing system of Claim 10 wherein the state existing
2 for the particular flow at the time a new packet belonging to the particular flow is
3 examined is used in conjunction with the database to determine the treatment.

1 16. The network processing system of Claim 10 wherein the
2 programmable network policies are programmed using a management interface on a
3 separate server and downloaded into the network processing system in the form of an
4 image file.

1 17. The network processing system of Claim 16 wherein the management
2 interface also acts to retrieve statistical and event information from the network
3 processing system.

1 18. The network processing system of Claim 10 wherein the left and right
2 processing engines further comprise a microprocessor for supplemental processing
3 operations.

1 19. A network processing system and management interface for enforcing
2 network policies on a network, the network consisting of a plurality of data packets
3 forming a plurality of flows, the network processing system comprising:

4 at least one network processing system operable to process network traffic,
5 each network processing system further comprising:

6 a network interface operable to receive data packets from the network
7 and further operable to send processed data packets back onto the network;
8 and

9 a processing engine in communication with the network interface, the
10 processing engine operable to associate each data packet with an identifier,
11 wherein the identifier is associated with the flow to which the data packet
12 belongs, the processing engine further operable to compare each flow to a
13 database stored in the processing engine, the database storing information on a
14 set of programmable network policies, the set of programmable network
15 policies determining a treatment for each flow, such that the processing engine
16 is able to modify and direct the data packets according to the treatment
17 indicated; and

18 a management interface to control each network processing system
19 programmed on a separate server in communication with each network
20 processing system, the management interface including a programming
21 interface to allow a user to program each network processing system, an image
22 builder to convert the program into an image that can be loaded into the
23 appropriate network processing system, and an interface program operable to
24 communicate with and to send the image file to the appropriate network
25 processing system.

1 20. The network processing system and management interface of Claim 19
2 wherein the management interface is further operable to retrieve statistical and event
3 information from each of the network processing systems.

1 21. The network processing system and management interface of Claim 19
2 wherein the image includes source files used to create the image.
3

1 22. The network processing system and management interface of Claim 19
2 wherein the network processing system further includes a management module in
3 communication with the processing engine and the management interface.

1 23. The network processing system and management interface of Claim 19
2 wherein the network processing system further comprises a second processing engine,
3 wherein each processing engine is unidirectional in the opposite direction thereby
4 creating a bi-directional network processing system.